

# HOMETEAM<sup>TM</sup> TABLES

TRAINING TABLES FOR ATHLETES EVERYWHERE

*by Clinton Industries*



**HI-LO, POWER TABLES**

# HOMETEAM TABLES

TRAINING TABLES FOR ATHLETES EVERYWHERE

by Clinton Industries

Clinton Industries believes it's time to cheer on athletes everywhere.

So we've used our 45 years of expertise in the design and manufacture of durable medical tables and equipment to develop HomeTeam Tables for the sports market. Because we believe every athlete should have access to quality equipment, we've made our tables affordable for everyone — small colleges, universities and even high schools. And we've designed them to stand up to the rigors of sports—season after season.

HomeTeam Tables are a win on design, a win on durability and a win on price, and that is a pretty good start to any season.





HomeTeam Tables has a power play like no other. With a lineup of hi-lo power tables that puts athlete and training team on the same level. HomeTeam hi-lo, power tables are available in variety of configurations including robust 600 lb. capacity models with extra-wide padded surfaces for larger athletes. Score big with HomeTeam Power Tables and choose the model that is right for your team.

**POWER 500**

CLINTON OPEN BASE & SHROUDED  
**POWERXL**  
*Extra width, Extra capacity, Extra Affordable*

**POWER 600  
HEAVY-DUTY**

*power-glide™*  
*Hi-Lo Treatment Tables by Clinton*

**E-Series**  
POWER TABLES

## POWER 500



### SPECIFICATIONS

Overall	72" L x 27" W x 18-35" H
---------	--------------------------

### 80100

#### Open Base Table with One-Piece Top

- Features an easy-clean, one-piece top
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

## POWER 500



### SPECIFICATIONS

Overall	72" L x 27" W x 18-35" H
---------	--------------------------

Backrest	38" L x 27" W
----------	---------------

### 80200

#### Open Base Table with Adjustable Backrest

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use



## POWER 500



### SPECIFICATIONS

Overall	76" L x 27" W x 18-35" H
Drop Section	13" L x 27" W

### 80220

#### Open Base Table with Drop Section

- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Standard drop section has nose hole, but it may be ordered without a nose hole (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

## POWER 500



### SPECIFICATIONS

Overall	76" L x 27" W x 18-35" H
Backrest	38" L x 27" W
Footrest	13" L x 27" W

### 80330

#### Open Base Table with Adjustable Backrest and Drop Section

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Standard drop section has nose hole, but it may be ordered without a nose hole (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

**⚠ WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



CLINTON OPEN BASE & SHROUDED  
**POWERXL**  
*Extra width, Extra capacity, Extra Affordable*



SPECIFICATIONS

Overall	72" L x 30" W x 18-35" H
---------	--------------------------

**80199**

**Open Base Table with One-Piece Top**

- Features easy-clean, 30" wide, one-piece top
- 600 lbs. (272 kg) load capacity under normal use
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service

CLINTON OPEN BASE & SHROUDED  
**POWERXL**  
*Extra width, Extra capacity, Extra Affordable*



SPECIFICATIONS

Overall	72" L x 30" W x 18-35" H
Backrest	38" L x 30" W

**80299**

**Open Base Table with Adjustable Backrest**

- Features easy-clean, 30" wide top with adjustable pneumatic backrest which is adjustable from either side and raises 80 degrees from flat
- 600 lbs. (272 kg) load capacity under normal use
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Pneumatic backrest cylinder is mounted internally
- Full width backrest hinge adds rigidity for greater support
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service

**! WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## HomeTeam Tables Open Base Treatment Tables/Extra Wide Bariatric



CLINTON OPEN BASE & SHROUDED  
**POWERXL**  
*Extra width, Extra capacity, Extra Affordable*



### SPECIFICATIONS

Overall	76" L x 30" W x 18-35" H
Backrest	38" L x 30" W
Footrest	13" L x 30" W

### 80399

#### Open Base Table with Adjustable Backrest and Drop Section

- Features easy-clean, 30" wide top with adjustable pneumatic backrest and drop section
- 600 lbs. (272 kg) load capacity under normal use
- Pneumatic backrest adjusts from either side and raises 80 degrees from flat
- Drop section adjusts from either side and lowers up to 80 degrees from flat
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Full width backrest hinge adds rigidity for greater support
- Full width backrest hinge adds rigidity for greater support
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service

## HomeTeam Tables Open Base Treatment Tables/Extra Wide Bariatric

**POWER 600**  
**HEAVY-DUTY**



### 84100-34 SPECIFICATIONS

Overall	72" L x 34" W x 18-35" H
---------	--------------------------

### 84100-40 SPECIFICATIONS

Overall	72" L x 40" W x 18-35" H
---------	--------------------------

### 84100

#### Open Base, Extra Wide, Heavy-Duty, Power Table with One-Piece Top

- Extra wide, bariatric model with choice of two widths
- Features easy-clean, one-piece top
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Rounded corner, upholstered top
- 2" ( 5 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 600 lbs. (272 kg) load capacity under normal use

**! WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



## POWER 600 HEAVY-DUTY



### 84200-34 SPECIFICATIONS

Overall	72" L x 34" W x 18-35" H
Backrest	38" L x 34" W

### 84200-40 SPECIFICATIONS

Overall	72" L x 40" W x 18-35" H
Backrest	38" L x 40" W

### 84200

#### Open Base, Extra Wide, Heavy-Duty, Power Table with Adjustable Backrest

- Extra wide, bariatric model with choice of two widths
- Dual-cylinder, pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Rounded corner, upholstered top
- 2" ( 5 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 600 lbs. (272 kg) load capacity under normal use

## POWER 600 HEAVY-DUTY



### 82430-34 SPECIFICATIONS

Overall	76" L x 34" W x 18-35" H
Backrest	38" L x 34" W
Drop Section	13" L x 34" W

### 82430-40 SPECIFICATIONS

Overall	76" L x 40" W x 18-35" H
Backrest	38" L x 40" W
Drop Section	13" L x 40" W

### 84430

#### Open Base, Extra Wide, Heavy-Duty, Power Table with Adjustable Backrest and Drop Section

- Extra wide, bariatric model with choice of two widths
- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Standard drop section has nose hole, but it may be ordered without a nose hole (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 600 lbs. (272 kg) load capacity under normal use

**⚠ WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Power 500, Power XL and Power 600 Heavy-Duty Options

### 080

#### Positioning Straps Set

- 2" x 92" strap is secured with quick hook and loop fasteners
- 2 safety straps per set (92" x 2")



### 082

#### Side Rails (pair)

- Pair
- Chrome
- Positions up and down
- Plunger height adjustment
- 29" x 12"



### 084

#### Hand-Held Controller

- Alternative to foot control
- Stores easily under top when not in use



### 087

#### Locking Casters

- 3" Heavy duty, rubber wheel, locking, swivel casters on all four corners makes it easy to reposition the table and then lock it securely in place.



*Note: The addition of casters adds 6" to the overall width of the table.*

### 030

#### Paper Dispenser

- Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide



### 040

#### Paper Cutter

- Clear plastic with elastic straps and buckle



### 034

#### Paper Dispenser/Cutter Combo

- Paper dispenser and paper cutter ordered as one option



## power-glide™ Hi-Lo Treatment Tables by Clinton

### Power-Glide Tables feature:

- Smooth-glide, electric power height adjustment
- Ultra heavy-duty base with solid, one-piece, steel ends
- Easy-clean, ABS plastic, center shroud hides lift components and provides a clean look
- Rigid, one-piece, laser-cut steel top frame
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Fast easy motor access via ABS side panels
- Hands-free low voltage foot control
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use
- 3-year limited factory warranty from Clinton Industries



87100

### Power-Glide, Hi-Lo Treatment Table with One Piece Top

- Features an easy-clean, one-piece top

87100	length	width	height range
	72"	27"	18.5"-34"
	183 cm	69 cm	47 cm – 86 cm



### Power-Glide, Hi-Lo Treatment Table with Adjustable Backrest

- Features easy-clean, two-piece top with adjustable backrest
- Pneumatic backrest is adjustable from either side and raises to a maximum of approximately 80°

87200	length	width	height range
overall	72"	27"	18.5"-34"
	183 cm	69 cm	47 cm – 86 cm
Backrest	38"	27"	
	97 cm	69 cm	



87200



**⚠ WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



87220

### Power-Glide, Hi-Lo Treatment Table with Flat Top and Drop Section

- Features a flat top and friction-lock, drop section
- Drop section is adjustable from either side and raises to approximately 75° degrees from flat.

87220	length	width	height range
overall	76"	27"	18.5"–34"
	193 cm	69 cm	47 cm – 86 cm
drop section	13"	27"	
	33 cm	69 cm	



87330

### Power-Glide, Hi-Lo Treatment Table with Adjustable Backrest & Drop Section

- Features an adjustable backrest and friction-lock, drop section
- Pneumatic backrest is adjustable from either side and raises to a maximum of approximately 80°
- Drop section is adjustable from either side and raises to approximately 75° degrees from flat.

87330	length	width	height range
overall	76"	27"	18.5"–34"
	193 cm	69 cm	47 cm – 86 cm
Backrest	38"	27"	
	97 cm	69 cm	
drop section	13"	27"	
	33 cm	69 cm	



**⚠ WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Power-Glide, Hi-Lo, Treatment Tables Options

**080**

### Positioning Straps Set

- 2" x 92" strap is secured with quick hook and loop fasteners
- 2 safety straps per set (92" x 2")



**082**

### Side Rails (pair)

- Pair
- Chrome
- Positions up and down
- Plunger height adjustment
- 29" x 12"



**087**

### Locking Casters

- 3" Heavy duty, rubber wheel, locking, swivel casters on all four corners makes it easy to reposition the table and then lock it securely in place.

*Note: The addition of casters adds 6" to the overall width of the table.*



**030**

### Paper Dispenser

- Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide



**040**

### Paper Cutter

- Clear plastic with elastic straps and buckle

**034**

### Paper Dispenser/Cutter Combo

- Paper dispenser and paper cutter ordered as one option



## E-Series POWER TABLES



### SPECIFICATIONS

Overall 72" L x 27" W x 18.5–3.55" H

### 86100

#### E-Series, Power Table with One Piece Top

- Features easy-clean, one-piece top
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use

## E-Series POWER TABLES



### SPECIFICATIONS

Overall 72" L x 27" W x 18.5–35.5" H

Backrest 38" L x 27" W

### 86200

#### E-Series, Power Table with Adjustable Backrest

- Features easy-clean, two-piece top with pneumatic, adjustable backrest
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use

**!** **WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## E-Series POWER TABLES



### SPECIFICATIONS

Overall 72" L x 27" W x 18.5–3.55" H

### 86220

#### E-Series Space Saver Power Table with Drop Section

- Drop Section is adjustable from either side and raises 80 degrees from flat
- Standard drop section, but it may be ordered with a nose hole as an option (*Please specify when ordering*)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use

## E-Series POWER TABLES



### SPECIFICATIONS

Overall 72" L x 27" W x 18.5–35.5" H

Backrest 38" L x 27" W

### 86200

#### E-Series, Power Table with Adjust. Backrest & Drop Section


- Features an adjustable, pneumatic backrest and friction lock drop section which are accessible from either side
- Solid, standard drop section (may be ordered with a nose hole as an option) (*Please specify when ordering*)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use

**⚠️ WARNING:** These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## E-Series Power Tables Options



**030**  
**Paper Dispenser**  
 • Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide



**040**  
**Paper Cutter**  
 • Clear plastic with elastic straps and buckle

**034**  
**Paper Dispenser/Cutter Combo**  
 • Paper dispenser and paper cutter ordered as one option

## HomeTeam Tables Upholstery Selections

**Upholstery Colors** NOTE: Other colors may be available by request, although it may result in upcharges and longer lead times.



NOTE: Due to the variations in computer monitors, tablets, smartphones, other electronic displays and printers, actual colors may vary. Actual samples are available in most cases.

**\* USE 799 OPTION FOR THESE SPECIAL COLORS (UPCHARGE)**



800-441-9131 • 717-848-3519  
 Toll-Free Fax 866-522-1233 • Fax 717-843-5871  
[www.hometeamtables.com](http://www.hometeamtables.com)