

TRAINING TABLES FOR ATHLETES EVERYWHERE

by Clinton Industries



HI-LO, POWER TABLES



TRAINING TABLES FOR ATHLETES EVERYWHERE

by Clinton Industries

Clinton Industries believes it's time to cheer on athletes everywhere.

So we've used our 45 years of expertise in the design and manufacture of durable medical tables and equipment to develop HomeTeam Tables for the sports market. Because we believe every athlete should have access to quality equipment, we've made our tables affordable for everyone — small colleges, universities and even high schools. And we've designed them to stand up to the rigors of sports—season after season.

HomeTeam Tables are a win on design, a win on durability and a win on price, and that is a pretty good start to any season.



HomeTeam Tables, Open Base, Hi-Lo Power Tables



HomeTeam Tables has a power play like no other. With a lineup of hi-lo power tables that puts athlete and training team on the same level. HomeTeam hi-lo, power tables are available in variety of configurations including robust 600 lb. capacity models with extra-wide padded surfaces for larger athletes. Score big with HomeTeam Power Tables and choose the model that is right for your team.

POWER 500











POWER 500



SPECIFICATIONS

Overall	72" L x	27" W x 1	18-35" H

80100

Open Base Table with One-Piece Top

- Features an easy-clean, one-piece top
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt elecrtric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

POWER 500



SPECIFICATIONS

Overall	72" L x 27" W x 18–3	35" H
Backrest	38" L x 27" W	

80200

Open Base Table with Adjustable Backrest

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt elecrtric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

HomeTeam Tables Open Base Teatment Tables/Power 500

POWER 500



SPECIFICATIONS

Overall	76" L x 27" W x 18–35" H
Drop Section	13" L x 27" W

POWER 500



SPECIFICATIONS

Overall	76" L x 27" W x 18–35" H
Backrest	38" L x 27" W
Footrest	13" L x 27" W

80220

Open Base Table with Drop Section



- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Standard drop section has nose hole, but it may be ordered without a nose hole (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- · Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

80330

Open Base Table with Adjustable Backrest and Drop Section

- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Standard drop section has nose hole, but it may be ordered without a nose hole (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use

HomeTeam Tables Open Base Teatment Tables/Power XL







SPECIFICATIONS

Overall 72" L x 30" W x 18–35" H

80199

Open Base Table with One-Piece Top

- Features easy-clean, 30" wide, one-piece top
- 600 lbs. (272 kg) load capacity under normal use
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service





SPECIFICATIONS

Overall	72" L x	30" W x 18–35" H
Backrest	38" L x	30" W

80299

Open Base Table with Adjustable Backrest

- Features easy-clean, 30" wide top with adjustable pneumatic backrest which is adjustable from either side and raises 80 degrees from flat
- 600 lbs. (272 kg) load capacity under normal use
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Pneumatic backrest cylinder is mounted internally
- Full width backrest hinge adds rigidity for greater support
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service

HomeTeam Tables Open Base Teatment Tables/Extra Wide Bariatric





SPECIFICATIONS

Overall	76" L x 30" W x 18–35" H
Backrest	38" L x 30" W
Footrest	13" L x 30" W

80399

Open Base Table with Adjustable Backrest and Drop Section

- Features easy-clean, 30" wide top with adjustable pneumatic backrest and drop section
- 600 lbs. (272 kg) load capacity under normal use
- Pneumatic backrest adjusts from either side and raises
 80 degrees from flat
- Drop section adjusts from either side and lowers up to 80 degrees from flat
- 5-year limited warranty on frame and electric motor drive
- Smooth, electric, raise and lower height adjustment
- Full width backrest hinge adds rigidity for greater support
- Full width backrest hinge adds rigidity for greater support
- Heavy duty, steel frame is fabricated in the USA by Clinton Industries
- Dependable scissors-lift features an H-leg design for extra stability
- Rounded corner 3/4" plywood top with 2" of ultra firm padding covered by heavy weight upholstery
- Harden steel bolts and self lubricating pivot bearings for years of dependable service

HomeTeam Tables Open Base Teatment Tables/Extra Wide Bariatric

POWER 600 HEAVY-DITY



84100-34 SPECIFICATIONS

Overall	72" L x	34" W x 18–35" H
84100-40 SPECIFICATION	ONS	
Overall	72" L x	40" W x 18–35" H

84100

Open Base, Extra Wide, Heavy-Duty, Power Table with One-Piece Top

- Extra wide, bariatric model with choice of two widths
- Features easy-clean, one-piece top
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Rounded corner, upholstered top
- 2" (5 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 600 lbs. (272 kg) load capacity under normal uset



HomeTeam Tables Open Base Teatment Tables/Power 600 Bariatric



84200-34 SPECIFICATIONS

Overall	72" L x	34" W x 18–35" H
Backrest	38" L x	34" W
84200-40 SPECIFICATIONS		
0	72"	40" \\\ 10 25" \

Overall	72" L x	40" W x 18–35" H
Backrest	38" L x	40" W




82430-34 SPECIFICATIONS


Overall	76" L x 34" W x 18–35" H
Backrest	38" L x 34" W
Drop Section	13" L x 34" W

82430-40 SPECIFICATIONS

Overall	76" L x 40" W x 18–35" H
Backrest	38" L x 40" W
Drop Section	13" L x 40" W

84200





- Dual-cylinder, pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Rounded corner, upholstered top
- 2" (5 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 600 lbs. (272 kg) load capacity under normal use

84430

Open Base, Extra Wide, Heavy-Duty, Power Table with Adjustable Backrest and Drop Section

- Extra wide, bariatric model with choice of two widths
- Pneumatic backrest is adjustable from either side and raises 80 degrees from flat
- Drop Section is adjustable from either side and lowers up to 80 degrees from flat
- Standard drop section has nose hole, but it may be ordered without a nose hole (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 600 lbs. (272 kg) load capacity under normal use



Power 500, Power XL and Power 600 Heavy-Duty Options

080

Positioning Straps Set

- 2"x 92" strap is secured with quick hook and loop fasteners
- 2 safety straps per set (92" x 2")

082

Side Rails (pair)

- Pair
- Chrome
- Positions up and down
- Plunger height adjustment
- 29" x 12"

084

Hand-Held Controller

- Alternative to foot control
- Stores easily under top when not in use

826

Logo Slip Cover for models with Backrest

• Vinyl slip-over with your team logo. Slip over backrest for a custom look. (each)

087

Locking Casters

• 3" Heavy duty, rubber wheel, locking, swivel casters on all four corners makes it easy to reposition the table and then lock it securely it in place.

Note: The addition of casters adds 6" to the overall width of the table.

030

Paper Dispenser

 Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide

040

Paper Cutter

• Clear plastic with elastic straps and buckle

034

Paper Dispenser/Cutter Combo

Paper dispenser and paper cutter ordered as one option















HomeTeam Tables™ Power-Glide, Hi-Lo Teatment Tables



USA

Power-Glide Tables feature:

- Smooth-glide, electric power height adjustment
- Ultra heavy-duty base with solid, one-piece, steel ends
- Easy-clean, ABS plastic, center shroud hides lift components and provides a clean look
- Rigid, one-piece, laser-cut steel top frame
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Fast easy motor access via ABS side panels
- Hands-free low voltage foot control
- Seamless, rounded corner, upholstered top
- 2" ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 500 lbs. (227 kg) load capacity under normal use
- 3-year limited factory warranty from Clinton Industries



Power-Glide, Hi-Lo Treatment Table with One Piece Top

• Features an easy-clean, one-piece top

87100	length	width	height range
	72"	27"	18.5"-34"
	183 cm	69 cm	47 cm – 86 cm





Power-Glide, Hi-Lo Treatment Table with Adjustable Backrest

- Features easy-clean, two-piece top with adjustable backrest
- Pneumatic backrest is adjustable from either side and raises to a maximum of approximately 80°

87200	length	width	height range
overall	72"	27"	18.5"-34"
	183 cm	69 cm	47 cm – 86 cm
Backrest	38"	27"	
	97 cm	69 cm	

WARNING: These products can expose you to chemicals, including chromium, which is known to the State of California to cause cancer or reproductive toxicity.

For more information go to www.P65Warnings.ca.gov.



HomeTeam Tables, Power-Glide, Hi-Lo Teatment Tables







Power-Glide, Hi-Lo Treatment Table with Flat Top and Drop Section

- Features a flat top and friction-lock, drop section
- Drop section is adjustable from either side and raises to approximately 75° degrees from flat.

87220	length	width	height range
overall	76"	27"	18.5"-34"
	193 cm	69 cm	47 cm – 86 cm
drop section -	13"	27"	
	33 cm	69 cm	





Power-Glide, Hi-Lo Treatment Table with Adjustable Backrest & Drop Section

- Features an adjustable backrest and friction-lock, drop section
- Pneumatic backrest is adjustable from either side and raises to a maximum of approximately 80°
- Drop section is adjustable from either side and raises to approximately 75° degrees from flat.

87330	length	width	height range
overall	76"	27"	18.5"-34"
	193 cm	69 cm	47 cm – 86 cm
Backrest	38"	27"	
_	97 cm	69 cm	
drop section	13"	27"	
	33 cm	69 cm	

Power-Glide, Hi-Lo, Treatment Tables Options

080

Positioning Straps Set

- 2"x 92" strap is secured with quick hook and loop fasteners
- 2 safety straps per set (92" x 2")

082

Side Rails (pair)

- Pair
- Chrome
- Positions up and down
- Plunger height adjustment
- 29" x 12"

087

Locking Casters

• 3" Heavy duty, rubber wheel, locking, swivel casters on all four corners makes it easy to reposition the table and then lock it securely it in place.

Note: The addition of casters adds 6" to the overall width of the table.

030

Paper Dispenser

 Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide

040

Paper Cutter

• Clear plastic with elastic straps and buckle

034

Paper Dispenser/Cutter Combo

Paper dispenser and paper cutter ordered as one option

826

Logo Slip Cover for models with Backrest

• Vinyl slip-over with your team logo. Slip over backrest for a custom look. (each)













HomeTeam Tables Open Base Teatment Tables/E-Series







SPECIFICATIONS

Overall

72" L x 27" W x 18.5–3.55" H

86100

E-Series, Power Table with One Piece Top

- Features easy-clean, one-piece top
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use





SPECIFICATIONS

Overall	72" L x	27" W x 18.5–35.5" H
Backrest	38" L x	27" W

86200

E-Series, Power Table with Adjustable Backrest

- Features easy-clean, two-piece top with pneumatic, adjustable backrest
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use

HomeTeam Tables Open Base Teatment Tables/E-Series







SPECIFICATIONS

Overall

72" L x 27" W x 18.5-3.55" H

86220

E-Series Space Saver Power Table with Drop Section

- Drop Section is adjustable from either side and raises 80 degrees from flat
- Standard drop section, but it may be ordered with a nose hole as an option (*Please specify when ordering*)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use





SPECIFICATIONS

Overall 72" L x 27" W x 18.5–35.5" H

Backrest 38" L x 27" W

86200

E-Series, Power Table with Adjust. Backrest & Drop Section

- Features an adjustable, pneumatic backrest and friction lock drop section which are accessible from either side
- Solid, standard drop section (may be ordered with a nose hole as an option) (Please specify when ordering)
- Electric power height adjustment with foot control
- Ultra-strong, uni-frame base and top construction
- Heavy duty, all welded, lift mechanism
- •Durable gray powder-coated steel frame
- Self-lubricating pivot points
- Smooth 110 volt electric height adjustment
- Power supply and motor meets UL 60601-1 and CAN/CSA C22.2 601.1
- Hands-free low voltage foot control
- Easy service, self contained, electrical components
- Seamless, rounded corner, upholstered top
- 1.5" (4 cm) ultra-firm padding
- Customize with options
- Made in the USA by Clinton Industries
- 450 lbs. (204 kg) load capacity under normal use

E-Series Power Tables Options



030 Paper Dispenser

 Accommodates paper rolls from 18" (45.72cm) to 21" (53.34cm) wide



040 Paper Cutter

• Clear plastic with elastic straps and buckle



826

Logo Slip Cover for models with Backrest

• Vinyl slip-over with your team logo. Slip over backrest for a custom look. (each)

034

Paper Dispenser/Cutter Combo

• Paper dispenser and paper cutter ordered as one option

HomeTeam Tables Upholstery Selections

Upholstery Colors NOTE: Other colors may be available by request, although it may result in upcharges and longer lead times.



NOTE: Due to the variations in computer monitors, tablets, smartphones, other electronic displaysand printers, actual colors may vary. Actual samples are available in most cases.

* USE 799 OPTION FOR THESE SPECIAL COLORS (UPCHARGE)



800-441-9131 • 717-848-3519 Toll-Free Fax 866-522-1233 • Fax 717-843-5871 www.hometeamtables.com

by Clinton Industries